



# Zaawansowane programowanie w systemie Linux

Neil Matthew, Richard Stones

Drogi Czytelniku! Poniżej zamieszczona jest errata do książki:

## "Zaawansowane programowanie w systemie Linux"

Jest to lista błędów znalezionych po opublikowaniu książki, zgłoszonych i zaakceptowanych przez naszą redakcję. Pragniemy, aby nasze publikacje były wiarygodne i spełniały Twoje oczekiwania. Zapoznaj się z poniższą listą. Jeśli masz dodatkowe zastrzeżenia, możesz je zgłosić pod adresem <https://helion.pl/user/erraty>

Strona	Linia	Jest	Powinno
414	listing 1: wiersz 1	t_id,	t_id
414	listing 2: wiersz 20	tree *mknode(treetype, int op, tree *l, tree * r)	tree *mknode(treetype type, int op, tree *l, tree * r)
414	Listing 2, wiersz 6	tree *mkdir(char *id)	tree *mkid(char *id)

Poniżej znajduje się lista błędów znalezionych przez czytelników, ale jeszcze nie potwierdzonych przez Redakcję:

Strona	Linia	Jest	Powinno
64	9 od dołu	<b>const int title_id, const char date, int member_ids[])</b>	<b>const int title_id, const char date, int member_ids[], int count)</b>

130	15 od dotu	<b>FROM</b> <b>placed_order</b> <b>WHERE</b> <b>placed_order.customer_id</b> <b>=</b> <b>customer.customer_id</b> <b>AND</b>	<b>FROM</b> <b>placed_order,</b> <b>customer WHERE</b> <b>placed_order.customer_id</b> <b>=</b> <b>customer.customer_id</b> <b>AND</b>
130	20 od dotu	<b>FROM</b> <b>placed_order</b> <b>WHERE</b> <b>placed_order.customer_id</b> <b>=</b> <b>customer.customer_id</b> <b>AND</b>	<b>FROM</b> <b>placed_order,</b> <b>customer WHERE</b> <b>placed_order.customer_id</b> <b>=</b> <b>customer.customer_id</b> <b>AND</b>